

**FIELD TESTING  
REQUIREMENTS &  
CONDITIONS**



**awake**

WINDOW & DOOR CO.



# AWAKE'S FIELD TESTING REQUIREMENTS AND CONDITIONS

---

No field testing or studies are permitted on Awake's products unless they are performed in strict compliance with the Fenestration and Glazing Industry Alliance (FGIA) Voluntary Specification for Field Testing of Newly Installed Fenestration Products, AAMA 502 and strictly comply with the below requirements.

1. **Timing.** All testing shall occur within four (4) weeks of product installation and prior to installation of interior and exterior finishes (drywall, siding, stucco, etc.).
2. **Installation Methods.** Before testing may occur, all tested products must be installed in accordance with Awake's written and/or video Installation Instructions and all Federal, State, and Local Codes and Regulations. This includes, but is not limited to, ensuring that all tested units are installed plumb, level, and square. In addition, all units must be adjusted as needed to ensure adequate sealing prior to testing.
3. **Advanced Notification.** Awake must be provided no less than thirty (30) days advanced written notice at [add email/phone number] before the testing commencement date, that includes all of the below information:
  - a. The Awake Window & Door Co. order number;
  - b. Unit numbers of the specific units that will be tested;
  - c. The property address and owner names;
  - d. The names of the installer and builder;
  - e. The issue necessitating the perceived need for water or structural testing;
  - f. The intended test protocol; and
  - g. The name of the testing laboratory that will be used.
4. **Test Lab.** Field tests are to be performed only by a testing laboratory accredited to ISO/IEC 17025.
5. **Attendance.** Awake may, in its sole discretion, attend any field test.
6. **Remediation.** In the event of a water test failure that can be remedied by product adjustments, Awake shall be given an opportunity to make such adjustments before re-testing.
7. **Testing Results.** All test results shall be evaluated in accordance with the tolerances specified in AAMA 502.

Any testing shall be performed at homeowners sole cost and expense.

**FAILURE TO STRICTLY COMPLY WITH THE ABOVE FIELD TESTING REQUIREMENTS WILL VOID THIS LIMITED WARRANTY.**



# GET IN TOUCH

**435 E GERMANN RD SUITE 104  
GILBERT, AZ 85297**

[www.awakewdc.com](http://www.awakewdc.com)  
(833) 292-5393